

```
chain nodes : 10 11 15
                16 17 18
                            19 26 27 28 29 30 31 32 36 37 38
ring nodes : 1 2 3 4
                 5 6 7 8
chain bonds :
   7-26 9-10 10-11 27-43 28-43 29-30 29-31 31-32 36-37 36-38 39-40
ring bonds :
    1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
    6-9 7-26 8-9 27-43 28-43 29-30 36-37 36-38 39-40
exact bonds: 5-7 7-8 9-10 10-11 29-31 31-32
normalized bonds :
    1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
    containing 1:
G1: [*1], [*2], [*3], [*4], [*5]
G2: [*6], [*7], [*8], [*9]
Match level :
    1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:Atom
    15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS 31:CLASS 32:CLASS 36:CLASS 37:CLASS 38:CLASS 39:CLASS 40:CLASS
```

Web Page URLs for STN Seminar Schedule - N. America NEWS NEWS "Ask CAS" for self-help around the clock NEWS Feb 24 PCTGEN now available on STN 3 NEWS Feb 24 TEMA now available on STN NEWS 5 Feb 26 NTIS now allows simultaneous left and right truncation NEWS 6 Feb 26 PCTFULL now contains images NEWS 7 Mar 04 SDI PACKAGE for monthly delivery of multifile SDI results 8 Mar 24 PATDPAFULL now available on STN NEWS NEWS 9 Mar 24 Additional information for trade-named substances without structures available in REGISTRY NEWS 10 Apr 11 Display formats in DGENE enhanced NEWS 11 Apr 14 MEDLINE Reload NEWS 12 Apr 17 Polymer searching in REGISTRY enhanced NEWS 13 Indexing from 1947 to 1956 added to records in CA/CAPLUS Jun 13 NEWS 14 Apr 21 New current-awareness alert (SDI) frequency in WPIDS/WPINDEX/WPIX NEWS 15 Apr 28 RDISCLOSURE now available on STN May 05 NEWS 16 Pharmacokinetic information and systematic chemical names added to PHAR NEWS 17 May 15 MEDLINE file segment of TOXCENTER reloaded NEWS 18 May 15 Supporter information for ENCOMPPAT and ENCOMPLIT updated NEWS 19 May 19 Simultaneous left and right truncation added to WSCA NEWS 20 May 19 RAPRA enhanced with new search field, simultaneous left and right truncation NEWS 21 Jun 06 Simultaneous left and right truncation added to CBNB NEWS 22 Jun 06 PASCAL enhanced with additional data NEWS 23 Jún 20 2003 edition of the FSTA Thesaurus is now available NEWS 24 Jun 25 HSDB has been reloaded NEWS 25 Jul 16 Data from 1960-1976 added to RDISCLOSURE NEWS 26 Jul 21 Identification of STN records implemented NEWS 27 Jul 21 Polymer class term count added to REGISTRY NEWS 28 Jul 22 INPADOC: Basic index (/BI) enhanced; Simultaneous Left and Right Truncation available AUG 05 New pricing for EUROPATFULL and PCTFULL effective NEWS 29 August 1, 2003 NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP), AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information Welcome Banner and News Items NEWS LOGIN NEWS PHONE Direct Dial and Telecommunication Network Access to STN NEWS WWW CAS World Wide Web Site (general information)

Welcome to STN International

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 13:48:22 ON 07 AUG 2003

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 13:48:30 ON 07 AUG 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 AUG 2003 HIGHEST RN 562043-52-1 DICTIONARY FILE UPDATES: 6 AUG 2003 HIGHEST RN 562043-52-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=> L1 ST

1 STRUCTURE UPLOADED

=> d 11


L1 HAS NO ANSWERS

L1 ST

′ C 16

S 14

0 13



Page 1-B

```
Page 2-A
                                                  10 C M2
                                                                   -сь 11
Page 2-B
 1
Page 2-C
VAR G1=13/14/15/16/17
REP G20=(1-2) 10-9 10-11
NODE ATTRIBUTES:
HCOUNT
        IS M2
                   AT
                        10
NSPEC
                   AΤ
        IS R
                         1
NSPEC
                   AT
        IS R
                         2
NSPEC
        IS R
                   AT
                         3
NSPEC
        IS R
                   AT
                         4
NSPEC
        IS R
                   AT
                         5
NSPEC
        IS R
                   ΑT
NSPEC
        IS R
                   AT
                         7
NSPEC
        IS Ŕ
                   AT
                         8
NSPEC
        IS R
                   ΑT
                         9
NSPEC
        IS C
                   AT
                        10
NSPEC
        IS C
                   AT
                        11
NSPEC
        IS C
                   AT
                        12
        IS C
NSPEC
                   AT
                        13
NSPEC
        IS C
                   ΑT
                        14
NSPEC
        IS C
                   AT
                        15
NSPEC
        IS C
                   AT
                        16
NSPEC
        IS C
                   AT
                        17
NSPEC
        IS C
                   AT
                        18
NSPEC
        IS C
                   AT
                        19
NSPEC
        IS C
                   AT
DEFAULT MLEVEL IS ATOM
                        10 13 14 15 16 17 19 20
        IS CLASS
                   AT
MLEVEL
DEFAULT ECLEVEL IS LIMITED
GRAPH ATTRIBUTES:
RSPEC I
```

NUMBER OF NODES IS 20

STEREO ATTRIBUTES: NONE

=> s 11

SAMPLE SEARCH INITIATED 13:49:22 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 9405 TO ITERATE

10.6% PROCESSED 1000 ITERATIONS

46 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 182292 TO

PROJECTED ANSWERS:

82292 TO 193908 7405 TO 9899

L2 46 SEA SSS SAM L1

=> s ll full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 147.75 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y FULL SEARCH INITIATED 13:49:40 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 186798 TO ITERATE

100.0% PROCESSED 186798 ITERATIONS

11659 ANSWERS

SEARCH TIME: 00.00.07

L3 11659 SEA SSS FUL L1

=> d 13

L3 ANSWER 1 OF 11659 REGISTRY COPYRIGHT 2003 ACS on STN


RN 561055-42-3 REGISTRY

CN Methanone, [5-bromo-1-[(2,4-dichlorophenyl)methyl]-1H-indol-3-yl](4fluorophenyl)- (9CI) (CA INDEX NAME)

MF C22 H13 Br Cl2 F N O

SR CA

LC STN Files: CA, CAPLUS



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

- 1 REFERENCES IN FILE CA (1947 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1947 TO DATE)

=> file hcaplus
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 150.23 150.44

FILE 'HCAPLUS' ENTERED AT 13:49:55 ON 07 AUG 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), únless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Aug 2003 VOL 139 ISS 6 FILE LAST UPDATED: 6 Aug 2003 (20030806/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d his

(FILE 'HOME' ENTERED AT 13:48:22 ON 07 AUG 2003)

FILE 'REGISTRY' ENTERED AT 13:48:30 ON 07 AUG 2003

L1 STRUCTURE UPLOADED

L2 46 S L1

L3 11659 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 13:49:55 ON 07 AUG 2003

=> s 13

L4 1557 L3

=>

L5 STRUCTURE UPLOADED


=> d 15


L5 HAS NO ANSWERS

L5 STR

0 13

Page 1-A





```
NSPEC IS R
                 AT
                         7
NSPEC IS R
                  AΤ
NSPEC IS R
                 AT
                         9
                AT 10
AT 11
AT 12
AT 13
NSPEC IS C
                 AT 14
                 AT 15
AT 16
NSPEC IS C
                 AT 17
                 AT 18
                 AT 19
NSPEC IS C
                 AT 20
NSPEC IS C
                 AT 21
NSPEC IS C
                 AT 22
NSPEC IS C
NSPEC IS C
NSPEC IS C
                 AT 23
AT 24
AT 25
AT 26
NSPEC IS C
NSPEC IS C
                 AT 27
NSPEC IS C
                 AT 28
NSPEC IS C
                 AT 29
NSPEC IS C
NSPEC IS C
NSPEC IS C
                  AT 30
                 AT 31
                  AT 32
NSPEC IS C
                  AT 33
NSPEC IS C
                   AT 34
NSPEC IS C
                   AT 35
DEFAULT MLEVEL IS ATOM
MLEVEL IS CLASS AT 10 13 14 15 16 17 19 20 21 22 23 24 26 27 28 29 30
           31 32 33 34 35
DEFAULT ECLEVEL IS LIMITED
```

### **GRAPH ATTRIBUTES:**

RSPEC I

NUMBER OF NODES IS 35

STEREO ATTRIBUTES: NONE

# => s 15

# REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

SAMPLE SEARCH INITIATED 14:01:36 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 30 TO ITERATE

100.0% PROCESSED 30 ITERATIONS 0 ANSWERS SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 272 TO 928

PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

L7 0 L6

#### => s 15 full

#### REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 147.75 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 14:01:42 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 746 TO ITERATE

100.0% PROCESSED 746 ITERATIONS

0 ANSWERS

346.33

SEARCH TIME: 00.00.01

L8 0 SEA SSS FUL L5

L9 0 L8

=> file reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 14:01:52 ON 07 AUG 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 AUG 2003 HIGHEST RN 562043-52-1 DICTIONARY FILE UPDATES: 6 AUG 2003 HIGHEST RN 562043-52-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003


Please note that search-term pricing does apply when conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=>

L10 STRUCTURE UPLOADED





```
AT 7
 NSPEC IS R

        NSPEC
        IS R
        AT
        7

        NSPEC
        IS R
        AT
        8

        NSPEC
        IS R
        AT
        9

        NSPEC
        IS C
        AT
        10

        NSPEC
        IS C
        AT
        11

        NSPEC
        IS C
        AT
        12

        NSPEC
        IS C
        AT
        13

        NSPEC
        IS C
        AT
        14

        NSPEC
        IS C
        AT
        15

        NSPEC
        IS C
        AT
        16

        NSPEC
        IS C
        AT
        17

        NSPEC
        IS C
        AT
        17

        NSPEC
        IS C
        AT
        19

        NSPEC
        IS C
        AT
        20

        NSPEC
        IS C
        AT
        21

        NSPEC
        IS C
        AT
        22

        NSPEC
        IS C
        AT
        24

        NSPEC
        IS C
        AT
        27

        NSPEC
        IS C
        AT
        27

        NSPEC
        IS C
        AT</t
 NSPEC IS Ŕ
                                     AT
 NSPEC IS C
                                     AT 33
 NSPEC IS C
                                        AT 34
 NSPEC IS C
                                         AT 35
 DEFAULT MLEVEL IS ATOM
 MLEVEL IS CLASS AT 10 13 14 15 16 17 19 20 21 22 23 24 26 27 28 29 30
                       31 32 33 34 35
 DEFAULT ECLEVEL IS LIMITED
 GRAPH ATTRIBUTES:
 RSPEC I
 NUMBER OF NODES IS
 STEREO ATTRIBUTES: NONE
 => s 110
 SAMPLE SEARCH INITIATED 14:02:12 FILE 'REGISTRY'
 SAMPLE SCREEN SEARCH COMPLETED - 30 TO ITERATE
                                                                                                                                               0 ANSWERS
 100.0% PROCESSED
                                                   30 ITERATIONS
 SEARCH TIME: 00.00.01
 FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                                                       BATCH **COMPLETE**
 PROJECTED ITERATIONS:
                                                                      272 TO 928
                                                                           0 TO
 PROJECTED ANSWERS:
 L11
                                 0 SEA SSS SAM L10
 => s 110 full
 THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 147.75 U.S. DOLLARS
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y) /N or END:y
 FULL SEARCH INITIATED 14:02:21 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 746 TO ITERATE
```

100.0% PROCESSED 746 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

L12 0 SEA SSS FUL L10

=> log y ,

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION

FULL ESTIMATED COST 148.15 494.48

STN INTERNATIONAL LOGOFF AT 14:02:28 ON 07 AUG 2003